

Pella® 150 Series VINYL



Available exclusively at




Quality vinyl windows and patio doors, backed by Pella.

Double-Hung¹



- **LONG-LASTING, QUALITY VINYL FRAMES**
Pella 150 Series windows and patio doors use a precision welding process to help resist warping and twisting. Our easy-care vinyl also uses a fade-resistant formula that is performance-tested for excellent weathering, durability and color retention.
- **EASIER INSTALLATION**
To reduce installation time, block frame double-hung windows come with factory-applied perimeter foam insulation and sliding patio doors come fully assembled.¹ Complete installation directions are available at installpella.com.
- **INCREASED ENERGY EFFICIENCY**
Pella 150 Series windows offer solutions that will meet or exceed ENERGY STAR® guidelines in all 50 states.¹
- **ALL-METAL LOCKING HARDWARE**
Anchored to the sash, all-metal locking hardware enhances security and ensures long-lasting, dependable operation.
- **SLEEK TILT LATCH DESIGN³**
Tilt latches blend with the window sash design and make it easy to clean the exterior of a window from inside the home.
- **CONVENIENCE AND PRIVACY SOLUTIONS⁴**
Add privacy with blinds-between-the-glass on sliding patio doors. Permanently sealed between panes of glass, they never need cleaning and are protected from damage.
- **LIMITED LIFETIME WARRANTY⁵**
Give your customers peace of mind knowing these products are backed by Pella, a leader in the window and door industry for nearly 100 years. Pella 150 Series windows and sliding patio doors are backed by one of the best warranties in the business.
- **TESTED BEYOND REQUIREMENTS**
At Pella, our products are tested beyond requirements to help ensure they have long-lasting performance.

AVAILABLE IN THESE WINDOW & PATIO DOOR STYLES¹:



Fixed and special shape windows also available.

^{1,2,3,4,5} See back cover for disclosures.

PRODUCT SPECIFICATIONS

EAST REGION

WINDOW & PATIO DOOR STYLES	MIN. WIDTH	MIN. HEIGHT	MAX. WIDTH	MAX. HEIGHT	PERFORMANCE CLASS & GRADE	PERFORMANCE VALUES			FRAME / INSTALL
						U-FACTOR	SHGC	STC	
SINGLE-HUNG WINDOW (DUAL-PANE) (VENT)	14-½"	23-½"	48"	84"	R20-LC65	0.29-0.47	0.21-0.65	25	Block Frame Nail Fin Nail Fin with J-Channel Integral 5/8" Flange (Florida only)
DOUBLE-HUNG WINDOW (DUAL-PANE) (VENT)	14-½"	23-½"	48"	78"	R25-R50	0.30-0.47	0.19-0.60	25-26	Block Frame Nail Fin Nail Fin with J-Channel
SLIDING WINDOW (2-PANEL) (DUAL-PANE) (VENT)	21-½"	14-½"	73-½"	60"	R20-R35	0.29-0.47	0.20-0.64	26	Block Frame Nail Fin Nail Fin with J-Channel Integral 5/8" Flange (Florida only)
SLIDING PATIO DOOR (DUAL-PANE) (VENT)	46-½"	70-½"	95-½"	95-½"	R35-R50	0.27-0.51	0.19-0.65	25	Nail Fin
FIXED FRAME RECTANGLE (DUAL-PANE)	11-½"	11-½"	108"	108"	LC25-CW50	0.27-0.49	0.20-0.64	25	Block Frame Nail Fin Nail Fin with J-Channel Integral 5/8" Flange (Florida only)

WEST REGION

WINDOW & PATIO DOOR STYLES	MIN. WIDTH	MIN. HEIGHT	MAX. WIDTH	MAX. HEIGHT	PERFORMANCE CLASS & GRADE	PERFORMANCE VALUES			FRAME / INSTALL
						U-FACTOR	SHGC	STC	
SINGLE-HUNG WINDOW (DUAL-PANE) (VENT)	14-½"	29-½"	48"	84"	LC35	0.29-0.47	0.20-0.64	26	Block Frame Nail Fin Flush Flange
SLIDING WINDOW (2-PANEL) (DUAL-PANE) (VENT)	21-½"	9"	73-½"	71.5"	R20-R35	0.29-0.47	0.20-0.64	25	Block Frame Nail Fin Flush Flange
SLIDING PATIO DOOR (DUAL-PANE) (VENT)	46-½"	70-½"	95-½"	95-½"	R35	0.27-0.49	0.20-0.64	25	Nail Fin Flush Flange
FIXED FRAME RECTANGLE (DUAL-PANE)	11-½"	11-½"	108"	108"	LC25-CW50	0.27-0.48	0.22-0.69	26	Block Frame Nail Fin Flush Flange

WINDOW SIZES AVAILABLE IN 1/8" INCREMENTS

Maximum square footage rules apply. Maximum width and height cannot exceed the maximum square footage. Special shapes available. Visit pellaatloues.com/150 for specific sizes and glazings tested and for more information regarding frame and installation types.

COLORS

FRAME COLORS

Create a signature look with solid-color frames.


SOLID-COLOR:



GRILLES


GRILLE TYPES

Grilles are color-matched to the window or patio door interior and exterior frame color.⁴



GRILLES-BETWEEN-THE-GLASS
FLAT 5/8**6

West Region Only




GRILLES-BETWEEN-THE-GLASS
CONTOUR 3/4**6

⁴See back cover for disclosures.


GRILLES (CONTINUED)

GRILLE PATTERNS


Choose from a variety of grille patterns for the traditional look of divided light. Grille patterns offered may vary by product. See specific product information for availability.



TRADITIONAL



6-LITE PRAIRIE



9-LITE PRAIRIE



TOP ROW

WINDOW HARDWARE

SLIDING, SINGLE- AND DOUBLE-HUNG

Pella's all-metal cam-action lock pushes the sashes against the weatherstripping for a tighter seal.



CAM-ACTION LOCK



AUTOLOCK
West Region Only

COLOR-MATCHED FINISHES:



WHITE



ALMOND



FOSSIL

INTEGRATED SASH LIFT

Make raising and lowering single- and double-hung window sashes easy with a standard, integrated sash lift.



WINDOW INTEGRATED SASH LIFT

COLOR-MATCHED FINISHES:



WHITE



ALMOND



FOSSIL

WINDOW LIMITED OPENING DEVICES

A vent stop can be engaged or disengaged manually and restricts how far the bottom sash of a single- or double-hung window can open. A window opening control device (WOCD) complies with a safety standard and allows for ventilation, emergency escape and rescue when released. A WOCD automatically limits the sash opening to less than four inches, unless it is intentionally disengaged, enabling the sash to fully open.



VENT STOP



OPENING CONTROL DEVICE

COLOR-MATCHED FINISHES:



WHITE



ALMOND



FOSSIL

PATIO DOOR HARDWARE

SLIDING PATIO DOOR

Match the door's exterior color with a color-matched, corrosion-resistant handle, or upgrade the interior finish to add a touch of style.



SLIDING PATIO DOOR HANDLE

COLOR-MATCHED FINISHES:



WHITE



ALMOND




FOSSIL

UPGRADED FINISHES:



BRIGHT BRASS



OIL-RUBBED BRONZE



SATIN NICKEL

PATIO DOOR BLINDS

BLINDS-BETWEEN-THE-GLASS⁴

Add privacy and complement your project's decor with blinds-between-the-glass on sliding patio doors. Located between panes of glass, blinds are protected from dust, pets and damage.



WHITE

⁴See back cover for disclosures.



Available exclusively at



¹ Double-hung window available in East Region only.

² Some Pella products may not meet ENERGY STAR® guidelines in Canada. For more information, contact your local Pella sales representative or go to energystar.gc.ca.

³ Available in the East Region Only

⁴ Grilles are not available with blinds-between-the-glass. Blinds-between-the-glass available on sliding patio doors only.

⁵ The Pella Limited Lifetime Warranty is non-prorated, meaning the coverages within the defined warranty periods do not decrease over time. See written limited warranty for details, including exceptions and limitations, at pellaatlowes.com/support, or contact Pella Customer Service at 877-473-5527.

⁶ Appearance of exterior grille color may vary depending on the Low-E insulating glass selection.